



ICECONTROL DIN TRANSFORMER 9V

Transformer 230VAC to 9VDC 3.5A/31W

Art.no 5430458

GTIN 7071236018544

Transformer for mounting on DIN rail. Can be used as an external power supply for Icecontrol ground sensor and gutter sensor.

PRODUCT FEATURES

- Transformer
- Input: 230VAC - 50Hz 1.5A Max
- Output: 9VDC / 3.5A / 31W
- High efficiency
- Low ripple & noise
- Adjustable DC voltage output
- Overload protection
- Over voltage protection
- Short circuit protection
- Isolation Class II
- Mounting on 35mm DIN rail

PRODUCT DATA

Ambient temperature range in use	-20 to 50°C
Ambient temperature range in storage	-40 to 80°C
Min. and max ambient humidity (RH%)	20 to 90%
Colour	Black

ADDITIONAL INFO

IP Code	IP20
Certification	CE
Warranty international	2 years
Country of origin	CN

ELECTRO TECHNICAL DATA

Voltage	230VAC 50Hz
Voltage Output	9VDC
Grounding	No
Minimal ambient temperature	-20°C
Max ambient temperature	50°C
Width number of DIN-Rail modules	3 modules
DIN Rail Height	35mm
Max tightening torque connections	2N·m
Connection type	Screw clamps

**PRODUCT DIMENSIONS**

Product height/diameter	100mm	Product Width	70mm
Product length	62mm	Product net weight	180g

MAINTENANCE

The device is maintenance-free. Indoor use only.

RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AS can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**IceControl DIN Transformer 9V can be ordered from
shop.heatit.com/5430458**

All additional documentation are available on the above adress and on documents.heatit.com/5430458

